

Protective Edging

The external corners, commonly called Jolly, allow to obtain a state-of-the-art installation of the coverings, quickly and easily.

They are available in multiple materials: PVC, Aluminum and steel.

The finishes are the most diverse: satin anodized, bright, shiny, colored, marbled.

There are special accessories for the terminal part and for the corners / edges.

- Material: Aisi 304 steel, aluminum, PVC
- Finish: Polished or satin, bright, colored, marbled
- Dimensions: see data sheets
- Bar length: see data sheets
- Quantity per pack: see data sheets
- Article Name: SpecialROUND - SpecialSQUARE

PROFILES FOR COVERING (EXTERNAL CORNERS) IN ALUMINUM

Spessore Thickness T	Dimensioni Size H	Lunghezza Length	Cod. Art./Item Code	Profili Anodizzati Argento Silver Anodized Profiles				Quantità per conf. Packing Quantity
				Satinato Silver AAA		Brillante Bright Silver ABA		
mm	mm	m	Cod. Art./Item Code	€/m	€/pz	€/m	€/pz	pz/pcs

SPECIAL ROUND AL

ALLUMINIO ALUMINIUM



ESTRUSO / EXTRUDED

1	6	2,7	SPRO00061AAA27					10
			SPRO00061ABA27					
	8		SPRO00081AAA27					
			SPRO00081ABA27					
	10		SPRO00101AAA27					
			SPRO00101ABA27					
	12,5		SPRO00121AAA27					
			SPRO00121ABA27					



PRESSOPIEGATO / PRESS-BENDED

0,7	8	2,7	SPRO00087AAA27					10
			SPRO00087ABA27					
	10		SPRO00107AAA27					
			SPRO00107ABA27					
	12,5		SPRO00127AAA27					
			SPRO00127ABA27					

SPECIAL PIECES - EDGE AND CORNERS

Dimensioni Size H	completa il cod. art. (x) con il tipo di prodotto A o B complete item code (x) with the product type A or B	Anodizzati Argento Silver Anodized		Quantità per conf. Packing Quantity
		Satinato Silver AAA	Brillante Bright Silver ABA	
mm	Cod. Art./Item Code	€/pz	€/pz	

SPECIALCAPSR-AL

ALLUMINIO ALUMINIUM



8	SPCR0008AAA0x			10
	SPCR0008ABA0x			
10	SPCR0010AAA0x			
	SPCR0010ABA0x			
12	SPCR0012AAA0x			
	SPCR0012ABA0x			



A = Tappo semplice / Simple cap

A+B (a incastro) = Tappo per chiusura a 2 vie / (interlocking) 2-way closure cap

O-RING fornito per profilo spessore 0,7 mm / O-RING to use with profiles thickness 0,7 mm

PROFILES FOR COVERING (EXTERNAL CORNERS) IN STEEL

SPECIAL ROUND AC	Spessore Thickness T	Dimensioni Size H	Lunghezza Length	Cod. Art./Item Code	Acciaio Lucido Polished Steel		Quantità per conf. Packing Quantity
	mm	mm	m		€/m	€/pz	pz/pcs

ACCIAIO STEEL



0,7	8	2,7	SPRO00087IL27			10
	10		SPRO00107IL27			
	12,5		SPRO00127IL27			
	15		SPRO00157IL27			

SPECIAL PIECES - EDGE AND CORNERS

SPECIALCAPSR-AC	Dimensioni Size H	completa il cod. art. (x) con il tipo di prodotto A o B complete item code (x) with the product type A or B	Acciaio Lucido Polished Steel	Quantità per conf. Packing Quantity
	mm	Cod. Art./Item Code	€/pz	

ACCIAIO STEEL



8	SPCR0008PVA0x		10
10	SPCR0010PVA0x		
12	SPCR0012PVA0x		

PROFILES FOR COVERING (EXTERNAL CORNERS) IN WHITE PVC

SPECIALCAPSR-PVC	Dimensioni Size H	Lunghezza Length	Cod. Art./Item Code	PVC bianco White PVC		Quantità Packing
	mm	m		€/m	€/pz	pz/pcs

PVC PVC



Colori disponibili nella pagina seguente
Other colours available on the next page

6	2,60	SPRO0006PVB25			90
8		SPRO0008PVB25			
10		SPRO0010PVB25			
12		SPRO0012PVB25			

SPECIALCAPSR-PVC

PVC PVC



6		SPCR0006PB00			10
8		SPCR0008PB00			
10		SPCR0010PB00			
12		SPCR0012PB00			

A = Tappo semplice / Simple cap
A+B (a incastro) = Tappo per chiusura a 2 vie / (interlocking) 2-way closure cap
O-RING fornito per profilo spessore 0,7 mm / O-RING to use with profiles thickness 0,7 mm

PROFILES FOR COVERING (EXTERNAL CORNERS) IN COLORED PVC

SpecialRound-PVC	Dimensioni Size H	Lunghezza Length	Cod. Art./Item Code	PVC colorato Colored PVC			Quantità Packing
	mm	m		colore/colour	€/m	€/pz	pz/pcs

PVC PVC



8	2,60	SPRO0008PVA26	Avorio/Ivory			60
10		SPRO0010PVA26				
8		SPRO0008PVR26	Rosa/Pink			
10		SPRO0010PVR26				
8		SPRO0008PVG26	Grigio/Grey			
10		SPRO0010PVG26				
8		SPRO0008PVC26	Celeste/Light blue			
10		SPRO0010PVC26				

PROFILES FOR COVERING (EXTERNAL CORNERS) IN MARBLED PVC

SpecialRound-PVC	Dimensioni Size H	Lunghezza Length	PVC marmorizzato marbled PVC			Quantità Packing
	mm	m	Cod. Art./Item Code	colore/colour	€/m	€/pz

PVC PVC




8	2,60	SPRO0008PVMO26	Rosa/Pink			60
10		SPRO0010PVMO26				
8		SPRO0008PVMP26	Rosa pesca/Peach pink			
10		SPRO0010PVMP26				
8		SPRO0008PVMB26	Beige chiaro/Light beige			
10		SPRO0010PVMB26				
8		SPRO0008PVMS26	Beige sabbia/Sand beige			
10		SPRO0010PVMS26				
8		SPRO0008PVMT26	Beige tabacco/Tobacco beige			
10		SPRO0010PVMT26				
8		SPRO0008PVMV26	travertino grigio/Travertine gray			
10		SPRO0010PVMV26				
8		SPRO0008PVME26	Crema/Yellow cream			
10		SPRO0010PVME26				
8		SPRO0008PVMN26	Travertino beige/Travertine beige			
10		SPRO0010PVMN26				
8		SPRO0008PVMD26	Verde/Green			
10		SPRO0010PVMD26				
8		SPRO0008PVMZ26	Verde brazil/Brazil green			
10		SPRO0010PVMZ26				
8	SPRO0008PVMI26	Grigio/ Grey				
10	SPRO0010PVMI26					

PROFILES FOR COVERING (EXTERNAL CORNERS) IN ALUMINUM

SPECIAL SQUARE AL	Spessore Thickness T	Dimensioni Size H	Lunghezza Length	Cod. Art./Item Code	Profili Anodizzati Argento Silver Anodized Profiles				Quantità per conf. Packing Quantity
	mm	mm	m		Satinato Silver AAA	Brillante Bright Silver ABA	€/m	€/pz	

ALLUMINIO ALUMINIUM



ESTRUSO / EXTRUDED

1	4,5	2,7	SPSQ00451AAA27					10
			SPSQ00451ABA27					
	6		SPSQ00061AAA27					
			SPSQ00061ABA27					
	8		SPSQ00081AAA27					
			SPSQ00081ABA27					
	10		SPSQ00101AAA27					
			SPSQ00101ABA27					
	12,5		SPSQ00121AAA27					
			SPSQ00121ABA27					



PRESSOPIEGATO / PRESS-BENDED

0,7	8	2,7	SPSQ00087AAA27					10
			SPSQ00087ABA27					
	10		SPSQ00107AAA27					
			SPSQ00107ABA27					
	12,5		SPSQ00127AAA27					
			SPSQ00127ABA27					

SPECIAL PIECES - EDGE AND CORNERS

SPECIALCAPSQ-AL	Dimensioni Size H	completa il cod. art. (x) con il tipo di prodotto A o B complete item code (x) with the product type A or B	Anodizzati Argento Silver Anodized		Quantità per conf. Packing Quantity
			Satinato Silver AAA	Brillante Bright Silver ABA	

ALLUMINIO ALUMINIUM



8	SPCQ0008AAA0x			10
	SPCQ0008ABA0x			
10	SPCQ0010AAA0x			10
	SPCQ0010ABA0x			
12	SPCQ0012AAA0x			10
	SPCQ0012ABA0x			

A = Tappo semplice / Simple cap

A+B (a incastro) = Tappo per chiusura a 2 vie / (interlocking) 2-way closure cap

O-RING fornito per profilo spessore 0,7 mm / O-RING to use with profiles thickness 0,7 mm

PROFILES FOR COVERING (EXTERNAL CORNERS) IN STEEL

SPECIAL PIECES - EDGE AND CORNERS

SPECIAL SQUARE AC	Spessore Thickness T	Dimensioni Size H	Lunghezza Length	Cod. Art./Item Code	Acciaio Lucido Polished Steel		Quantità per conf. Packing Quantity
	mm	mm	m		€/m	€/pz	pz/pcs

ACCIAIO STEEL

0,7	8	2,7	SPSQ00087IL27			10
	10		SPSQ00107IL27			
	12,5		SPSQ00127IL27			



Dimensioni Size H	completa il cod. art. (x) con il tipo di prodotto A o B complete item code (x) with the product type A or B	Acciaio Lucido Polished Steel	Quantità per conf. Packing Quantity
mm	Cod. Art./Item Code	€/pz	

SPECIALCAPSQ-AC

ACCIAIO STEEL

8	SPCQ0008IL0x		10
10	SPCQ0010IL0x		
12	SPCQ0012IL0x		



Main characteristics of the raw materials used by Special Profiles

ALUMINUM

Aluminum alloy (Al-Mg-Si) The profiles are made by extrusion or lamination and subsequent press bending. They have excellent resistance to the main chemical and atmospheric agents. Surface treatments through the company's proprietary systems, transform the material into:
 Anodized aluminum: anodic oxidation with 8-10 microns of oxide thickness.
 Polished Aluminum: anodic oxidation with 8-10 microns of oxide thickness.
 Painted Aluminum: powder coated, with about 100 microns of paint thickness.
 Not recommended for floor use.

STAINLESS STEEL - AISI 304

The profiles are made by rolling and subsequent press bending. They have excellent resistance to the main chemical and atmospheric agents and excellent mechanical resistance. Surface treatments through the company's systems, transform the material into:
 Polished and bright steel. Use both on the wall and on the floor, in hospitals, food, industry.
 • Attention: the cutting edges are not stainless

Rigid PVC (Corner protectors)

Lead-free, impact-resistant, self-extinguishing rigid vinyl chloride. Good mechanical and abrasion resistance.

Co-extruded PVC - Rigid / Soft (expansion joints)

Co-extruded rigid vinyl chloride with soft PVC, leadfree, shockproof, self-extinguishing. Excellent mechanical resistance, to abrasion.

PE-HD (Tile spacers)

High density polyethylene, thermoplastic resin, excellent chemical stability and mechanical resistance. The high density (HD) increases its stiffness.

POLYPROPYLENE (External square and round corners)

Thermoplastic polymer, semi-crystalline, with good mechanical and abrasion resistance.

Maintenance

Avoid direct contact with concrete and its derivatives, if wet, descaling products and detergents that contain chlorine. Avoid using abrasive products that can scratch (abrasive sponges / metal wool). Immediately after laying proceed with a thorough cleaning of the surfaces with plenty of water / neutral / non-alkaline PH products, in particular remove cement, glue from the exposed surfaces.

Measures and tolerances

All information and drawings contained in this catalog are non-binding and subject to change without notice.

All dimensional data refer to nominal dimensions, subject to mechanical tolerances, according to the En- 22768 ISO-2768 -m standard.

Special Profiles codes/Descriptions

Raw Material

A= Aluminium
F= Iron
P= PVC
I= Steel
O= Brass

Colours

A=Silver B=Light Brown
O=Gold M=Brown
N=Black
B=White
G=Gray

Surface treatments

N=Natural Z=Zincked
A=Anodized L=Bright
V=Painted O=Matt
P=Brushed S=SuperBright
B=Brilliant



Special Profiles a brand of Mecc.Al Group

- Via dei Laghi, 4 - Calcinelli 61036 Colli al Metauro (PU) – Italia Tel. +39.0721.8764.163

Website : www.special-profiles.com e-mail: specialprofiles@meccal.com