



## Edging Profiles for Balconies and Terraces

---


Covering, protecting, avoiding accumulations of water or humidity from your terraces and balconies: you can do it with the series of Special Profiles technical profiles. Specially designed, our profiles are available in various sizes, in aluminum or steel, with many different finishes and colors. Supplied with useful special pieces, preformed, for edges, corners, flat fittings. The package is 20 bars each (length of the bars 2.7 m).

Each bar is accompanied by a label with product code and description and EAN code.

Material: Aluminum • Finish: Satin anodised or Painted -> White - Gray - Beige - Brown •  
Dimensions: 70x70 mm • Quantity per pack: 20 bars • Bar length: 2.7 m • Article Name:  
SPECIALBORD-AL

SpecialBordFlat-AL	Dimensioni Size	Lunghezza Length	Cod. Art./Item Code	Anodizzati Argento Silver Anodized	Profili Verniciati Ral Ral Painted Profiles				Quantità per conf. Packing Quantity
				Satinato Silver AAA	Bianco White 9010	Grigio Grey 7038	Beige Light Brown 1019	Marrone Brown 8019	


ALLUMINIO ALUMINIUM



65,5x69x12	2,7	SPSF0012AAA27						10
		SPSF0012AVB27						
		SPSF0012AVG27						
		SPSF0012AVE27						
		SPSF0012AVM27						

SpecialBordFlatCorn-AL


ALLUMINIO ALUMINIUM



100x45°	0,1	SPBC0007AAA10					5
		SPBC0007AVB10					
		SPBC0007AVG10					
		SPBC0007AVE10					
		SPBC0007AVM10					

SpecialBordFlatAng-AL


ALLUMINIO ALUMINIUM



100x45°	0,1	SPBG0007AAA10					5
		SPBG0007AVB10					
		SPBG0007AVG10					
		SPBG0007AVE10					
		SPBG0007AVM10					

SpecialBordFlatConn-AL

ALLUMINIO ALUMINIUM




40	0,04	SPBN0007AAA04					50
		SPBN0007AVB04					
		SPBN0007AVG04					
		SPBN0007AVE04					
		SPBN0007AVM04					

	Dimensioni Size	Lunghezza Length		Acciaio Lucido Polished Steel	Quantità per conf. Packing Quantity
<b>SpecialBordFlat-AC</b>	mm	m	Cod. Art./Item Code	€/pz	pz/pcs



**ACCIAIO STEEL**

65,5x69x12	2,7	SPBF0007IL027		10
------------	-----	---------------	--	----




<b>SpecialBordFlatCom-AC</b>	100x45°	0,1	SPBC0007IL10		5
------------------------------	---------	-----	--------------	--	---

**ACCIAIO STEEL**



<b>SpecialBordFlatAng-AC</b>	100x45°	0,1	SPBG0007IL04		5
------------------------------	---------	-----	--------------	--	---

**ACCIAIO STEEL**



<b>SpecialBordFlatConn-AC</b>	40	0,4	SPBN0007IL04		50
-------------------------------	----	-----	--------------	--	----

**ACCIAIO STEEL**



### **Main characteristics of the raw materials used by Special Profiles**

#### **ALUMINUM**

Aluminum alloy (Al-Mg-Si) The profiles are made by extrusion or lamination and subsequent press bending. They have excellent resistance to the main chemical and atmospheric agents. Surface treatments through the company's proprietary systems, transform the material into: Anodized aluminum: anodic oxidation with 8-10 microns of oxide thickness.

Polished Aluminum: anodic oxidation with 8-10 microns of oxide thickness.  
 Painted Aluminum: powder coated, with about 100 microns of paint thickness.  
 Not recommended for floor use.

**STAINLESS STEEL - AISI 304**

The profiles are made by rolling and subsequent press bending. They have excellent resistance to the main chemical and atmospheric agents and excellent mechanical resistance  
 Surface treatments through the company's systems, transform the material into:  
 Polished and bright steel. Use both on the wall and on the floor, in hospitals, food, industry.  
 • Attention: the cutting edges are not stainless

**Rigid PVC** (Corner protectors)

Lead-free, impact-resistant, self-extinguishing rigid vinyl chloride. Good mechanical and abrasion resistance.

**Co-extruded PVC** - Rigid / Soft (expansion joints)

Co-extruded rigid vinyl chloride with soft PVC, leadfree, shockproof, self-extinguishing. Excellent mechanical resistance, to abrasion.

**PE-HD** (Tile spacers)

High density polyethylene, thermoplastic resin, excellent chemical stability and mechanical resistance. The high density (HD) increases its stiffness.

**POLYPROPYLENE** (External square and round corners)

Thermoplastic polymer, semi-crystalline, with good mechanical and abrasion resistance.

**Maintenance**

Avoid direct contact with concrete and its derivatives, if wet, descaling products and detergents that contain chlorine. Avoid using abrasive products that can scratch (abrasive sponges / metal wool). Immediately after laying proceed with a thorough cleaning of the surfaces with plenty of water / neutral / non-alkaline PH products, in particular remove cement, glue from the exposed surfaces.

**Measures and tolerances**

All information and drawings contained in this catalog are non-binding and subject to change without notice.

All dimensional data refer to nominal dimensions, subject to mechanical tolerances, according to the En- 22768 ISO-2768 -m standard.

**Special Profiles codes/Descriptions**

<b>Raw Material</b>	<b>Colours</b>		<b>Surface treatments</b>	
A= Aluminium	A=Silver	B=Light Brown	N=Natural	Z=Zincked
F= Iron	O=Gold	M=Brown	A=Anodized	L=Bright
P= PVC	N=Black		V=Painted	O=Matt
I= Steel	B=White		P=Brushed	S=SuperBright
O= Brass	G=Gray		B=Brilliant	



---

**Special Profiles** a brand of Mecc.AI Group

- Via dei Laghi, 4 - Calcinelli 61036 Colli al Metauro (PU) – Italia Tel. +39.0721.8764.163

Website : [www.special-profiles.com](http://www.special-profiles.com) e-mail: [specialprofiles@meccal.com](mailto:specialprofiles@meccal.com)